Globus integration in the NCAR RDA data portal: Recent enhancements

Thomas Cram

NCAR, Computational Information Systems Laboratory (CISL)

GlobusWorld 2018

April 25, 2018







About the RDA

- Purpose
 - Support climate & weather research at NCAR and UCAR universities with reference datasets
- Data collections
 - Ocean & atmospheric observations, analyses, reanalyses, operational NWP products
 - 700+ datasets, 8M files, 1.8 PB
- Free and open access
- Worldwide usage
- Science educated staff








Supported data access pathways

- HTTPS (wget, cURL, REST API, etc.)
- OPeNDAP
- GridFTP (Globus)
- HPSS staged-to-disk
- Direct access on GLADE filesystem (NCAR users)
- Subsetting (spatial, parameter, temporal, etc.)
- Data format conversion



How does Globus simplify data management and improve our user services?




Use cases:

- 1. Curated file lists
- 2. Automated transfers of delayed mode products
- * Facilitated by:
 - Globus Auth
 - Browse Endpoint helper
 - Python SDK


Use case #1: Curated file lists * BEFORE GLOBUS Integration*

Data discovery on RDA web app




Use case #1: Curated file lists * BEFORE GLOBUS Integration *

- Data discovery on RDA web app
- Redirect to Globus UI
- Blind search for files



Use case #1: Curated file lists * BEFORE GLOBUS Integration *


- Data discovery on RDA web app
- Redirect to Globus UI
- Blind search for files
- Request timeouts for long dir listings



Use case #1: Curated file lists * AFTER GLOBUS Integration *


View Selected Files/Get As a Tar File Perl Download Script Csh Download Script Globus download What is Globus?

 Discovery, file list curation (RDA portal)



Use case #1: Curated file lists * AFTER GLOBUS Integration *

- Discovery, file list curation (RDA portal)
- Select destination endpoint (Browse Endpoint helper API)



Use case #1: Curated file lists * AFTER GLOBUS Integration *


- Discovery, file list curation (RDA portal)
- Select destination endpoint (Browse Endpoint helper API)
- Receive Auth code, exchange for token
- Submit transfer on user's behalf

```
code = form.getvalue('code')
tokens = client.oauth2 exchange code for tokens(code)
       Transfer request submitted successfully. Task ID: c3a6334e-260a-11e7-bc68-22000b9a448b
tas
      Globus transfer details
      Task ID: c3a6334e-260a-11e7-bc68-22000b9a448b
      Source endpoint: NCAR RDA dataset archive
      Destination Endpoint: cisl-goliad
      Request Time: 2017-04-20 20:48:54+00:00
      Status: ACTIVE
      Files transferred: 0
      Faults: 0
      Overview and event log: https://www.globus.org/app/activity/c3a6334e-260a-11e7-bc68-22000b9a448b
        Refresh
```

Example 2: Delayed mode request transfers

BEFORE GLOBUS Integration:


- User submits request
- Server side processing (delayed mode)
- E-mail download link to user
- Request Globus share on download page



Example 2: Delayed mode request transfers

With GLOBUS integration:

- User requests Globus transfer during form submission
- User selects destination endpoint
- Receive Auth code, exchange for token, store in session
- Finish processing, e-mail notification sent to user
 - Data already on its way



Looking ahead

- HTTPS access
- Big data challenges
 - Campaign storage
 - Cloud-hosted environments
 - Support required for a large community of NCAR users



Contact us

rda.ucar.edu







@NCAR_RDA



@NCAR.RDA



ncarrda.blogspot.com